

SUPPLEMENTARY GAZETTE



**THE SOUTH AUSTRALIAN
GOVERNMENT GAZETTE**

PUBLISHED BY AUTHORITY

ADELAIDE, SATURDAY, 24 FEBRUARY 2024

CONTENTS

STATE GOVERNMENT INSTRUMENTS
Fisheries Management Act 2007276
Motor Vehicles Act 1959277

All instruments appearing in this gazette are to be considered official, and obeyed as such

STATE GOVERNMENT INSTRUMENTS

FISHERIES MANAGEMENT ACT 2007

SECTION 79

Temporary Prohibition on Fishing Activities in Specified Waters of SE

Pursuant to section 79 of the *Fisheries Management Act 2007*, I Professor Gavin Begg, Executive Director Fisheries and Aquaculture, delegate of the Minister for Primary Industries and Regional Development, hereby declare that it shall be unlawful for any person to engage in the act of, or an act preparatory to or involved in, the fishing activities specified in Schedule 1, within the area described in Schedule 2 during the period specified in Schedule 3.

SCHEDULE 1

All fishing activities or acts preparatory to the taking of fish including acts preparatory to the taking of marine benthic species, including southern rock lobster, gastropods and macroalgae, the setting of benthic fishing pots and anchoring any vessel to engage in such activities.

SCHEDULE 2


The coastal waters of the south east of South Australia contained within and bounded by a line commencing at the point closest to 38°02'49.3454" South 140°27'27.2593" East, then north-easterly to the line of Mean High Water Springs closest to the point 37°59'23.26788" South 140°31'02.7223" East, then beginning south-easterly along the line of Mean High Water Springs to the location closest to the point 38°03'21.9838" South 140°57'57.0451" East, then south-westerly to the point 38°07'19.1451" South 140°57'55.5041" East, then north-westerly to the point 38°07'22.7498" South 140°40'19.5476" East then north-westerly to the point 38°06'30.2557" South 140°36'40.0541" East then further north-westerly to the point of commencement. (GDA2020).

SCHEDULE 3

From 24 February 2024 to 8 March 2024.

Dated: 23 February 2024

PROF. GAVIN BEGG
Executive Director
Fisheries And Aquaculture
Delegate of the Minister for Primary Industries and Regional Development



MOTOR VEHICLES ACT 1959

SECTION 47A

Classes, Specifications and Design of Number Plates

NOTICE BY THE REGISTRAR OF MOTOR VEHICLES

Pursuant to section 47A of the *Motor Vehicles Act 1959* ('the Act'), I, Emma Kokar, Registrar of Motor Vehicles (Registrar):

- (a) revoke the following notices made under section 47A of the Act:
 - notice dated 18 July 2023 published in the *Gazette* No. 57 on Thursday, 20 July 2023 (pages 2266 - 2283).
- (b) establish the classes of number plates set out in schedule 1 and numbered 1 to 13 and 15 to 22 (inclusive) for the purposes of section 47(1) of the Act;
- (c) prescribe the specifications and design set out in schedule 2 to be the specifications and design to which number plates of each class established by this notice must conform;
- (d) declare the classes of number plates set out in schedule 3 to be classes of number plates that the Registrar may enter into an agreement pursuant to section 47A(4) of the Act.

SCHEDULE 1

Classes of number plates

- Class 1 - Numeric
- Class 2 - Alpha Numeric (non-slogan)
- Class 3 - Slogan
- Class 4 - Personalised
- Class 5 - Jubilee
- Class 6 - Australian Grand Prix
- Class 7 - Towtruck
- Class 8 - Government Vehicle
- Class 9 - Name Plates
- Class 10 - Custom
- Class 11 - Taxi Plates
- Class 12 - Chauffeured Vehicle
- Class 13 - Consular Corps
- Class 15 - Premium Number
- Class 16 - Bike Rack
- Class 17 - Centenary of Federation
- Class 18 - Country Taxi Plates
- Class 19 - SA – Heavy Vehicle
- Class 20 - Euro Vehicle
- Class 21 - National Heavy Vehicle
- Class 22 - Japanese Plates

SCHEDULE 2

*Specifications and design of number plates**Class 1 - Numeric Number Plates*

A numeric number plate must bear a number consisting entirely of a figure, or figures (except for the letters "SA" designating the State of issue), and may be issued under an agreement between the Registrar and the applicant. The plate must conform to the following additional specifications and designs:

129 mm Min./371 mm Max.

Steel/Aluminium
Embossed

White Figures



133 mm Min

Black Background

	Motor Vehicles other than motor bikes	Motor Bikes
Height of figure	77-80 mm	50 mm
Width of every line in each figure	12 mm	6 mm

The dimensions of a motor bike plate must be 215 ± 1.0 mm in length and 95 ± 1.0 mm in height.

Class 2 - Alpha Numeric Plates (Non-Slogan)

An alpha-numeric plate (non-slogan) must bear a number consisting of a combination of letters and figures and may be issued under an agreement between the Registrar and the applicant. The plate must conform to the following additional specifications and design:

2.1.1 Special Purpose Vehicle and Motor Bike (“S” 6 character set)

Steel/Aluminium Embossed	215 ± 1.0 mm		100 ± 1.0 mm
Black Letters & Figures			White Retroreflective Background

Height of figure or letter	50mm
Width of every line in each figure or letter	6-8mm

2.1.2 Special Purpose Vehicle and Motor Bike

Steel/Aluminium Embossed	215 ± 1.0 mm		100 ± 1.0 mm
Black Letters & Figures			White Retroreflective Background

Height of figure or letter	50mm
Width of every line in each figure or letter	6-8mm

2.2 Other Vehicles

Steel/Aluminium Embossed	371 ± 1.0 mm		133 ± 1.0 mm
Black Letters & Figures			White Retroreflective Background

Height of figure or letter	70-77mm
Width of every line in each figure or letter	12mm

2.3 Corporate Number Plates

Alpha numeric plates (non-slogan) in the corporate plate format (class 2.2 only) may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant.

The plate must conform to the following specifications and design:

The height of the plate 133 + 1.0 mm and width 371 + 1.0 mm.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 3 - Slogan Number Plates

A slogan number plate must bear a number consisting of a combination of letters and figures and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

3.1 South Australia Plate

Steel/Aluminium
Embossed

Black Letters & Figures

371 ± 1.0 mm



133 ± 1.0 mm

White Retroreflective
Background

Slogan (Black): SOUTH AUSTRALIA

	Motor Vehicles other than motor bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.1.1 South Australia Trailer Plate

Steel/Aluminium
Embossed

Black Letters & Figures

371 ± 1.0 mm



133 ± 1.0 mm

White Retroreflective
Background

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.1.2 South Australia Non-Standard Trailer Plate

Steel/Aluminium
Embossed

Black Letters & Figures

252 ± 1.0 mm



98 ± 1.0 mm

White Retroreflective
Background

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

3.1.3 Aerial Plate

Steel/Aluminium
Embossed

Black Letters & Figure

252 ± 1.0 mm



98 ± 1.0 mm

White Background
Retroreflective

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

The dimensions of an aerial mount plate must be 252 ± 1.0 mm in length and 98 ± 1.0 mm in width and are only available to vehicles granted registration under the Act.

3.2 Corporate Number Plates

Slogan number plates in the corporate plate format may contain a background, logo and/or slogan or other promotion pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

The height of the plate 133 mm + 1.0 mm and length of the plate 371 mm + 1.0 mm.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.3 Festival State (Discontinued)

371 ± 1.0 mm

Steel/Aluminium Embossed Black Letters & Figures Slogan Blue		133 ± 1.0 mm White Retroreflective Background
Blue Slogan: SA • The Festival State Black State Badge (Piping Shrike)		

	Motor Vehicles other than motor bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.3.1 Festival State Trailer Plate (Discontinued)

371 ± 1.0 mm

Steel/Aluminium Embossed Black Letters & Figures Slogan Blue		133 ± 1.0 mm White Retroreflective Background
Blue Slogan: SA • The Festival State Black State Badge (Piping Shrike)		

	Motor Vehicles other than motor bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.3.2 Festival State Non-Standard Trailer Plate (Discontinued)

252 ± 1.0 mm

Steel/Aluminium Embossed Black Letters & Figures Slogan Blue		98 ± 1.0 mm White Retroreflective Background
Blue Slogan: SA • The Festival State Black State Badge (Piping Shrike)		

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

3.4.1 Wine State (remake only)

371 ± 1.0 mm

Steel/Aluminium
Embossed

Black Letters & Figures

Slogan Purple



133 ± 1.0 mm

White Retroreflective
Background

Slogan Purple: SOUTH AUSTRALIA – THE WINE STATE
Black State Badge (Piping Shrike)
Background: (Light Green, Green) – Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.2 Rose State (remake only)

371 ± 1.0 mm

Steel/Aluminium
Embossed

Black Letters & Figures

Slogan Pink



133 ± 1.0 mm

White Retroreflective
Background

Slogan Pink: SOUTH AUSTRALIA – THE ROSE STATE
Black State Badge (Piping Shrike)
Background: (Light Green, Green, Pink, Red) – Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.3 Creative State (remake only)

371 ± 1.0 mm

Steel/Aluminium
Embossed

Black Letters & Figures

Slogan Black



133 ± 1.0 mm

Yellow Background

Slogan Black: SOUTH AUSTRALIA – THE CREATIVE STATE
Black State Badge (Piping Shrike)
Background: (White, Grey, Red) – Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.4 Defence State (remake only)

371 ± 1.0 mm

Steel/Aluminium
Embossed

White Letters & Figures

Slogan White with Black
Background



133 ± 1.0 mm

Blue Background

Slogan White: SOUTH AUSTRALIA – THE DEFENCE STATE
Black State Badge (Piping Shrike)
Background: (Blue) – Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.5 Gateway To The Outback (remake only)

371 ± 1.0 mm

Steel/Aluminium
Embossed

Black Letters & Figures

Slogan White with Black
Background



133 ± 1.0 mm

White Retroreflective
Background

Slogan White: SOUTH AUSTRALIA – GATEWAY TO THE OUTBACK
Black State Badge (Piping Shrike)
Background: (Yellow, Purple) – Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.6 The Electronics State (remake only)

371 ± 1.0 mm

Steel/Aluminium
Embossed

Black Letters & Figures

Slogan White with Green
Background



133 ± 1.0 mm

Green and White
Retroreflective
Background

Slogan White: SOUTH AUSTRALIA – THE ELECTRONICS STATE
Black State Badge (Piping Shrike)
Background: (White, Green) – Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.7 SA The Koala State

371 ± 1.0 mm

Steel/Aluminium
Embossed

Black Letters & Figures

Slogan White with Teal
Background



133 ± 1.0 mm

White and Teal
Retroreflective
Background

Slogan White: SA THE KOALA STATE
Background: (White, Teal) – Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 4 - Personalised Number Plates

A personalised number plate must bear a number consisting of a combination of letters and figures nominated by an applicant and approved by the Registrar, and issued under an agreement between the Registrar and the applicant.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Option	Letters & Figures (colour)	Background (colour)	State Badge Piping Strike (colour)
1	Retroreflective White	Blue	White
2	Retroreflective White	Magenta	White
3	Retroreflective White	Red	White
4	Retroreflective White	Maroon	White
5	Retroreflective White	Green	White
6	Blue	Retroreflective White	Black
7	Magenta	Retroreflective White	Black
8	Red	Retroreflective White	Black
9	Maroon	Retroreflective White	Black
10	Green	Retroreflective White	Black
11	Green	Retroreflective Yellow	Black

The Piping Shrike emblem will appear after the last letter and before the first number.

4.1 Standard Personalised

Aluminium Embossed

371 ± 1.0 mm



133 ± 1.0 mm

	Motor Vehicles other than motor bikes or trailers	Motor bikes
Height of figure or letter	70-72mm	50mm
Width of every line in each figure or letter	10-12mm	6mm

The dimensions of a motor bike plate must be 252mm ± 1.0 mm in length and 98 mm ± 1.0 mm in height.

4.2 Slim Personalised

Aluminium Embossed

371 ± 1.0 mm



100 ± 1.0 mm

	Motor Vehicles other than motor bikes or trailers	Motor bikes
Height of figure or letter	54 or 60mm	50mm
Width of every line in each figure or letter	10mm	6mm

The dimensions of a motor bike plate must be 252mm ± 1.0 mm in length and 98 mm ± 1.0 mm in height.

4.3 Non-Standard Personalised Trailer

Aluminium Embossed

252 ± 1.0 mm



98 ± 1.0 mm

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

4.4 Corporate Number Plates

Personalised number plates in the corporate plate format may contain a background, logo and/or slogan or other promotion pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

The height of the plate 133 mm + 1.0 mm and length of the plate 371 mm + 1.0 mm.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 5 - Jubilee Number Plates

A limited series of number plates numbered 001J - 999J and 001S - 999S preceded by the J150 logo and has the words "SOUTH AUSTRALIA" printed under the numbers, were issued to commemorate South Australia's 150th Jubilee. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

Steel/Aluminium
Embossed

371 ± 1.0 mm



133 ± 1.0 mm
Silver-White
Retroreflective
Background

Black Letters & Figures

Slogan Black: SOUTH AUSTRALIA

Jubilee Slogan (to the left of the characters) according to the copyright specifications


Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 6 - Australian Grand Prix Number Plates

6.1 Special Series

A limited series of number plates numbered 1 - 199 preceded by the Grand Prix Logo, were issued to commemorate the Australian Formula 1 Grand Prix in Adelaide. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0 mm

Steel/Aluminium Embossed		133 ± 1.0 mm
White Figures		Black Background

Slogan White: SOUTH AUSTRALIA
Logo Green, Yellow, Black & White (to the left of the digits) according to the copyright specifications

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

6.2 Standard Series

A limited series of number plates numbered 200 - 9999 preceded by the Grand Prix Logo, was issued to commemorate the Australian Formula 1 Grand Prix in Adelaide. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0 mm

Steel/Aluminium Embossed		133 ± 1.0 mm
Black Figures		White Retroreflective Background

Slogan Black: SOUTH AUSTRALIA
Logo Green, Yellow, Black & White (to the left of the digits) according to the copyright specifications

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 7 - Towtruck Number Plates

A Towtruck number plate must be issued to a Towtruck approved by the Registrar for use in the operation of the accident towing roster scheme. The number is preceded by the letters "ATT" and the plate must conform to the following additional specifications and design:

371 ± 1.0 mm

Steel/Aluminium Embossed		133 ± 1.0 mm
Blue Letters & Figures		Yellow Retroreflective Background

Slogan Blue: SA ACCIDENT TOWTRUCK

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 8 - Government Vehicle Number Plates

Vehicles owned by the State of South Australia may be issued with a number plate or plates consisting of a combination of letters and figures, which conform to the following additional specifications and design (unless otherwise authorised):

8.1.1 Government Vehicle or Trailer Number Plate ("S" 7 character set)

371 ± 1.0 mm

Steel/Aluminium Embossed		133 ± 1.0 mm
Blue Letters & Figures		White Retroreflective Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

8.1.2 Government Motor Bike (“S” 6 character set)Steel/Aluminium
Embossed

215 ± 1.0 mm

Blue Letters & Figures

95 ± 1.0 mm
White Retroreflective
Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

8.1.3 Aerial PlateSteel/Aluminium
Embossed

252 ± 1.0 mm

Blue Letters & Figure

98 ± 1.0 mm
White Retroreflective
Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

The dimensions of an aerial mount plate must be 252 ± 1.0 mm in length and 98 ± 1.0 mm in width and are only available to vehicles granted registration under the Act.

8.2 Government Vehicle Number Plate (remake only)Steel/Aluminium
Embossed

371 ± 1.0 mm

Blue Letters & Figures

133 ± 1.0 mm
White Retroreflective
Background

Slogan Blue: SA GOVERNMENT

	Motor Vehicles other than motor bikes	Motor bikes
Height of figure or letter	77mm	50mm
Width of every line in each figure or letter	12mm	6mm

The dimensions of a motor bike plate must be 215 ± 1.0 mm in length and 95 ± 1.0 mm in width.

Class 9 - Name Plates

A name plate must bear a number which consists of all letters issued under an agreement between the Registrar and the applicant. The plate must be of the type known as retroreflective metal or acrylic.

The size of the plate and height and width of every figure appearing on the plate are at the discretion of the Registrar.

Class 10 - Custom Number Plates

A custom number plate must bear a number nominated by an applicant and approved by the Registrar, which may consist of letters or a combination of letters and figures and issued under an agreement between the Registrar and the applicant authorising the applicant to display the number.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Option	Letters & Figures (colour)	Background (colour)
1	Retroreflective White	Blue
2	Retroreflective White	Magenta
3	Retroreflective White	Red
4	Retroreflective White	Maroon
5	Retroreflective White	Green
6	Blue	Retroreflective White
7	Magenta	Retroreflective White
8	Red	Retroreflective White
9	Maroon	Retroreflective White
10	Green	Retroreflective White

11	Black	Gold
12	Black	Silver
13	Gold	Black
14	Silver	Black
15	Black	Retroreflective White
16	Black	Retroreflective Lemon
17	Black	Retroreflective Yellow
18	Green	Retroreflective Lemon
19	Green	Retroreflective Yellow
20	Blue	Retroreflective Lemon
21	Blue	Retroreflective Yellow

10.1 Standard Custom

Aluminium Embossed



371 ± 1.0 mm

133 ± 1.0 mm

	Motor Vehicles other than motor bikes or trailers	Motor bikes
Height of figure or letter 1 to 6 letters	77mm	50mm
Width of every line in each figure or letter for 1 to 6 letters	12mm	6mm
Height of figure or letter 7 letters or 6 letters with space	70-72mm	50mm
Width of every line in each figure or letter for 7 letters or 6 letters with space	10-12mm	6mm

The dimensions of a motor bike plate must be:
 1 to 6 digits 215mm ± 1.0 mm in length and 95 mm ± 1.0 mm in width.
 7 digits 252mm ± 1.0 mm in length and 98 mm ± 1.0 mm in width.

10.2 Slim Custom

Aluminium Embossed




371 ± 1.0 mm

100 ± 1.0 mm

	Motor vehicles other than motor bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

10.3 Square Two Line Custom

Aluminium Embossed



306 ± 1.0 mm

150 ± 1.0 mm

	Motor vehicles other than motor bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

10.4 Square Custom

Aluminium Embossed

306 ± 1.0 mm



150 ± 1.0 mm

	Motor vehicle other than motor bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

The dimensions of a motor bike plate must be:

1 to 6 digits 215mm ± 1.0 mm in length and 95 mm ± 1.0 mm in width.

7 digits 252mm ± 1.0 mm in length and 98 mm ± 1.0 mm in width.

10.5 Corporate Number Plates

Custom number plates in the corporate plate format may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

371 mm + 1.0 mm in length and 133 mm + 1.0 mm in height

Height of Figure or Letter	60mm
Width of every line in each figure or letter	10mm

Class 11 - Taxi Plates

A taxi plate must be issued to taxis which are accredited by the *Passenger Transport Act 1994* as general purpose metropolitan taxis, standby taxis or “special vehicle licence” vehicles (wheelchair accessible vehicle). The number is preceded by the letters ‘TAXI’ and the plate must conform to the following additional specifications and design:

11.1 Standard Taxi PlateSteel/Aluminium
Embossed

371 ± 1.0 mm



Black Letters & Figures

133 ± 1.0 mm
White Retroreflective
Background

Slogan: SA South Australia. A Brilliant Blend
(according to the copyright specifications of SA TOURISM COMMISSION)

	Motor Vehicle
Height of figure	70mm
Height of letter	51mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

11.2 Standby/Access Taxi Plate

Standby taxi plates and “special vehicle licence” vehicle (wheelchair accessible vehicle) plates (accredited by the *Passenger Transport Act 1994*) may have letters “TAXI” displayed with white letters on a black background.

371 ± 1.0 mm

Steel/Aluminium
EmbossedBlack Figures
Retroreflective White Letters
on a Black
60 x 120 mm Background

133 ± 1.0 mm

White Retroreflective
Background

Slogan: SA South Australia. A Brilliant Blend
(according to the copyright specifications of SA TOURISM COMMISSION)

	Motor Vehicle
Height of figure	70mm
Height of letter	51mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

Class 12 - Chauffeured Vehicle Plates

A Chauffeured Vehicle number plate must bear a number consisting of a combination of figures and letters and be issued to vehicles and bikes which are accredited to operate for hire under the *Passenger Transport Act 1994*. These plates must be of the type known as metal embossed and must conform to the following additional specifications and design:

12.1 Standard

Steel/Aluminium Embossed	371 ± 1.0 mm		133 ± 1.0 mm
Blue Letters & Figures			White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Vehicles other than motor bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

12.2 Square

Steel/Aluminium Embossed	306 ± 1.0 mm		150 ± 1.0 mm
Blue Letters & Figures			White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Vehicles other than motor bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

12.3 Motor Bike

Steel/Aluminium Embossed	252 ± 1.0 mm		98 ± 1.0 mm
Blue Letters & Figures			White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Bikes
Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 13 - Consular Corps Plates

Consular Corps number plates may only be issued to an accredited Diplomatic Officer or accredited Consular Officer de carrière, who is a national of a country which he or she represents and who resides in this State, or to an Honorary Consul accredited by the Department of Foreign Affairs and Trade, who also resides in this State. The plates must be of the type known as metal embossed and must conform to the following additional specifications and design:

Steel/Aluminium Embossed	371 ± 1.0 mm		133 ± 1.0 mm
White Letters & Figures			Black Background

Slogan White: SA CONSULAR CORPS

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 15 - Premium Number Plates

A premium plate must bear a number consisting of two letters, three figures followed by a further letter and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

15.1 Front

Aluminium Embossed Black Letters & Figures OR Retroreflective White Letters & Figures OR Opaque White Letters & Figures (discontinued)	$371 \pm 1.0 \text{ mm}$ 	$83 \pm 1.0 \text{ mm}$ White Retroreflective Background OR Black Background
--	---	--

	Motor Vehicles other than motor bikes
Height of figure or letter	53 mm - 54mm
Width of every line in each figure or letter	8mm - 10 mm

15.1a Rear

Aluminium Embossed Black Letters & Figures OR Retroreflective White Letters & Figures OR Opaque White Letters & Figures (discontinued)	$371 \pm 1.0 \text{ mm}$ 	$106 \pm 1.0 \text{ mm}$ White Retroreflective Background OR Black Background
--	--	---


	Motor Vehicles other than motor bikes
Height of figure or letter	70mm - 75mm
Width of every line in each figure or letter	10mm - 12mm

15.2 Front

Aluminium Embossed Black Letters & Figures	$371 \pm 1.0 \text{ mm}$ 	$100 \pm 1.0 \text{ mm}$ White Retroreflective Background
--	---	---

	Motor Vehicles other than motor bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

15.2a Rear

Aluminium Embossed Black Letters & Figures	$306 \pm 1.0 \text{ mm}$ 	$150 \pm 1.0 \text{ mm}$ White Retroreflective Background
--	---	---

	Motor Vehicles other than motor bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

15.3 Front and Rear Square

Aluminium
Embossed

306 ± 1.0 mm



150 ± 1.0 mm

Black Letters & Figures

White Retroreflective
Background

	Motor Vehicles other than motor bikes
Height of figure or letter	54-62mm
Width of every line in each figure or letter	10mm

15.4 Corporate Number Plates

Premium number plates in the corporate plate format may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

371 mm + 1.0 mm in length and 133 mm + 1.0 mm in height

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 16 - Bike Rack Number Plates

A Bike Rack plate must bear the number allotted to the vehicle to which the bike rack is attached and must conform to the following additional specifications and design:

16.1 SA Better By Bike (discontinued)

Steel/Aluminium
Embossed

252 ± 1.0 mm



98 ± 1.0 mm

Black Letters & Figures

White Retroreflective
Background


Slogan: SA BETTER BY BIKE

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

16.2 SA Cycle instead

Steel/Aluminium
Embossed

252 ± 1.0 mm



98 ± 1.0 mm

Black Letters & Figures

White Retroreflective
Background

Slogan: SA Cycle instead and logo, as endorsed by the Registrar

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 17 – Centenary of Federation Number Plates

17.1 Centenary Limited Series Number Plates

A limited series of number plates numbered 1901 CF – 2001 CF, with the Centenary of Federation logo between the letters and figures, were issued to commemorate the Centenary of Federation. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0 mm

Steel/Aluminium Embossed		133 ± 1.0 mm
White Letters & Figures	1	Black Background

Grey watermark of Rotunda in background

Slogan White: *SA – Centenary of Federation*

Centenary of Federation Logo (between the numbers and the letters) according to the registered trademark owned by the Commonwealth.

	Motor Vehicles
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

17.2 Centenary Vogue Series Number Plates

A limited series of number plates numbered 000C – 999C and 000F – 999F with the Centenary of Federation logo between the letters and figures, were issued to commemorate the Centenary of Federation. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0 mm

Steel/Aluminium Embossed		133 ± 1.0 mm
White Letters & Figures		Yellow, Red, Green, Blue Retroreflective Background

Slogan White: *SA – Centenary of Federation*

Centenary of Federation Logo (between the numbers and the letters) according to the registered trademark owned by the Commonwealth.

	Motor Vehicles
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 18 – Country Taxi Plates

A Country Taxi Plate must be issued to taxis which have country taxi accreditation under the *Passenger Transport Act 1994*. The number is preceded by the letters ‘TAXI’ and the plate must conform to the following additional specifications and design:

371 ± 1.0 mm

Steel/Aluminium Embossed		133 ± 1.0 mm
Black Letters & Figures		Lemon Retroreflective Background

Slogan Red: SOUTH AUSTRALIA (above plate number)

COUNTRY TAXI (below plate number)

Black State Badge (Piping Shrike) (between the word TAXI and figures).

	Motor Vehicles
Height of figure	70mm
Height of letter	50mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

Class 19 – SA – Heavy Vehicle

A SA Heavy Vehicle Plate may be issued to a vehicle with a mass or GVM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

19.1 Standard

371 ± 1.0 mm

Aluminium Embossed		133 ± 1.0 mm
Black Letters & Figures		White Retroreflective Background

Slogan Black: SA – HEAVY VEHICLE

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

19.2 Trailer

A SA Heavy Trailer Plate may be issued to a vehicle with a mass or GTM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0 mm

Aluminium Embossed		133 ± 1.0 mm
Black Letters & Figures		White Retroreflective Background

Slogan Black: SA – HEAVY VEHICLE

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 20 – Euro Number Plates

A Euro plate must bear a number consisting of the letter S followed by two letters, two figures followed by a further letter, with a blue sash on the left of the plate and the State Coat of Arms of South Australia appearing between the letter S and the first two letters, and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

522 ± 1.0 mm

Steel/Aluminium Embossed		113.6 ± 1.0 mm
Black Letters & Figures		White Retroreflective Background
Logo – Sturt Desert Pea		

Blue Sash on the left of the plate with the characters “SA” screen printed in white with the S printed directly above the A

The State Coat of Arms of South Australia (between the “S” and the first two letters) as endorsed by the Department of the Premier and Cabinet’s Protocol Branch.

	Motor Vehicles
Height of figure or letter	75.5mm
Width of every line in each figure or letter	10mm

Class 21 – National Heavy Vehicle Plate

A National Heavy Vehicle Plate may be issued to a vehicle with a mass or GVM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

21.1 Standard

Aluminium Embossed	372 ± 1.0 mm	
Black Letters & Figures		134 ± 1.0 mm White Retroreflective Background Containing a Directional Security Mark (Kangaroo in circle)
Sash Colour Blue with White slogan and logo – National Heavy Vehicle		

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

21.2 Trailer

A Heavy Trailer Vehicle Plate may be issued to a vehicle with a mass or GTM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Aluminium Embossed	372 ± 1.0 mm	
Black Letters & Figures		134 ± 1.0 mm White Retroreflective Background Containing a Directional Security Mark (Kangaroo in circle)
Sash Colour Blue with White slogan and logo – National Heavy Vehicle		

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

21.3 Bike Rack

A bike rack plate issued for a heavy vehicle or heavy trailer with a mass or GVM/GTM over 4.5 tonnes must bear the number allotted to the vehicle to which the bike rack is attached and must conform to the following additional specifications and design:

Aluminium Embossed	254 ± 1.0 mm	
Black Letters & Figures		100 ± 1.0 mm White Retroreflective Background
Sash Colour Blue with White slogan and logo – National Heavy Vehicle		

	Motor Vehicles
Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 22 – Japanese Number Plates

A Japanese number plate may be issued under an agreement between the Registrar and the applicant.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

22.1 Standard

A Standard Japanese number plate consists of two numbers, followed by three letters.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

$330 \pm 1.0 \text{ mm}$

Aluminium Embossed		$165 \pm 1.0 \text{ mm}$	
Green Letters & Figures		White Retroreflective Background	

Japanese text of '南オーストラリア', meaning 'South Australia' located at the top of the number plate with 'SA' located in the bottom centre.


	Motor Vehicles
Height of figure or letter	58 mm - 60mm
Width of every line in each figure or letter	8mm – 10 mm

22.2 Special Edition

A Special Edition Japanese number plate consists of up to two numbers, followed by three letters 'JDM'.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

$330 \pm 1.0 \text{ mm}$

Aluminium Embossed		$165 \pm 1.0 \text{ mm}$	
Green Letters & Figures		White Retroreflective Background	

Japanese text of '南オーストラリア', meaning 'South Australia' located at the top of the number plate with 'SA' located in the bottom centre.

	Motor Vehicles
Height of figure or letter	58 mm - 60mm
Width of every line in each figure or letter	8mm – 10 mm

22.3 Custom Japanese

A Custom Japanese must bear a number nominated by an applicant and approved by the Registrar, which may consist of letters or a combination of letters and figures and issued under an agreement between the Registrar and the applicant authorising the applicant to display the number.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Option	Letters & Figures (colour)	Background (colour)
1	Black	Retroreflective White
2	Blue	Retroreflective White
3	Green	Retroreflective White
4	Maroon	Retroreflective White

330 ± 1.0 mm

Aluminium
Embossed



165 ± 1.0 mm

Japanese text of '南オーストラリア', meaning 'South Australia' located at the top of the number plate with '車', meaning 'car', located in the bottom centre of the plate. 'SA' written vertically in the centre left of the number plate.

	Motor Vehicles
Height of figure or letter	58 mm - 60mm
Width of every line in each figure or letter	8mm - 10 mm

General specifications and design

- The dimensions of the letters or words 'SA', 'SOUTH AUSTRALIA', 'THE FESTIVAL STATE' or any other slogan approved by the Registrar whether preceding the number or appearing in a central position above or below the registration number on which they are permitted, unless otherwise prescribed, must be as follows:

	Motor Bikes (except Class 12)	Motor Bikes Class 12	All Other Classes
Height of figure or letter	10mm	8mm	8-20mm
Width of every line in all parts thereof	2mm	1-2mm	1-3mm

(Except Corporate Number Plates which may vary at the discretion of the Registrar).

- The dimensions of the State Badge (Piping Shrike) appearing on the number plates on which they are permitted, must be as follows:

	Class 3	Class 4	Class 4 Motor Bike
Diameter	24-30mm	50mm	27mm

- The dimensions of the slogan "SA Cycle instead" appearing on the Bike Rack number plate must be as follows:

	Class 16
Height of figure or letter	13mm
Width of every line in all parts thereof	2mm

- A number plate will be taken to comply with the requirements of this notice relating to the size of the plate and the size of letters and figures on the plate if the size of the plate or of any figure or letter on the plate-
 - does not exceed the size prescribed by this notice by more than 1.0 mm; or
 - is not more than 1.0 mm less than the size prescribed by this notice.
- Notwithstanding the prescribed design and specifications for number plates, a number plate (other than a trailer or bike rack plate) may bear a plate and/or label that complies with the relevant Australian Standard, if the vehicle to which the number plate is affixed, is equipped to be Electric, Hydrogen or uses LP Gas/Natural Gas (as detailed in the Road Traffic (Light Vehicle Standards) Rules 2018 or the Heavy Vehicle (Vehicle Standards) National Regulation (as applicable). However, the plate and label on the number plate must be placed in such a position so as not to obscure any letter, figure, logo or slogan appearing on the number plate.

Transitional provision

A number plate that was manufactured before the date of this notice will be taken to comply with this notice if it complies with the notice under section 47A of the Act published in the *Gazette* on 20 July 2023 (see *Gazette* No. 57, pages 2266 - 2283)

SCHEDULE 3

*Classes of number plates which may be displayed pursuant to an agreement
under s.47A(4) of the Act*

- Class 1 - Numeric
- Class 2 - Alpha Numeric (non-slogan)
- Class 3 - Slogan
- Class 4 - Personalised
- Class 5 - Jubilee
- Class 6 - Australian Grand Prix
- Class 9 - Name Plates
- Class 10 - Custom
- Class 15 - Premium
- Class 17 - Centenary of Federation
- Class 20 - Euro
- Class 22 - Japanese

Dated: 23 February 2024

Approved by:
E. KOKAR
Registrar of Motor Vehicles

All instruments appearing in this gazette are to be considered official, and obeyed as such
