

SUPPLEMENTARY GAZETTE



**THE SOUTH AUSTRALIAN
GOVERNMENT GAZETTE**

PUBLISHED BY AUTHORITY

ADELAIDE, MONDAY, 2 FEBRUARY 2026

CONTENTS

STATE GOVERNMENT INSTRUMENTS
Motor Vehicles Act 1959—REPUBLISHED 172

All instruments appearing in this gazette are to be considered official, and obeyed as such

STATE GOVERNMENT INSTRUMENTS

[REPUBLISHED]

The notice published in the *South Australian Government Gazette* No. 5, dated 29 January 2026, on page 136, under the heading *Motor Vehicles Act 1959*, was published with an error and should be replaced with the following:

MOTOR VEHICLES ACT 1959

SECTION 47A

Classes, Specifications and Design of Number Plates— Notice by the Registrar of Motor Vehicles

Pursuant to Section 47A of the *Motor Vehicles Act 1959* ('the Act'), I, Emma Kokar, Registrar of Motor Vehicles (Registrar):

- (a) revoke the following notices made under Section 47A of the Act:
 - notice dated 2 December 2025 published in the *Gazette* No. 70 on Thursday, 4 December 2025 (pages 4763-4783).
- (b) establish the classes of number plates set out in Schedule 1 and numbered 1 to 13 and 15 to 23 (inclusive) for the purposes of Section 47(1) of the Act;
- (c) prescribe the specifications and design set out in Schedule 2 to be the specifications and design to which number plates of each class established by this notice must conform;
- (d) declare the classes of number plates set out in Schedule 3 to be classes of number plates that the Registrar may enter into an agreement pursuant to Section 47A(4) of the Act.

SCHEDULE 1

Classes of Number Plates

- Class 1—Numeric
- Class 2—Alpha Numeric (non-slogan)
- Class 3—Slogan
- Class 4—Personalised
- Class 5—Jubilee
- Class 6—Australian Grand Prix
- Class 7—Towtruck
- Class 8—Government Vehicle
- Class 9—Name Plates
- Class 10—Custom
- Class 11—Taxi Plates
- Class 12—Chauffeured Vehicle
- Class 13—Consular Corps
- Class 15—Premium Number
- Class 16—Bike Rack
- Class 17—Centenary of Federation
- Class 18—Country Taxi Plates
- Class 19—SA – Heavy Vehicle
- Class 20—Euro Vehicle
- Class 21—National Heavy Vehicle
- Class 22—Japanese Plates
- Class 23—Motorsport

SCHEDULE 2

Specifications and Design of Number Plates

Class 1—Numeric Number Plates

A numeric number plate must bear a number consisting entirely of a figure, or figures (except for the letters "SA" designating the State of issue), and may be issued under an agreement between the Registrar and the applicant. The plate must conform to the following additional specifications and designs:

129mm Min./371mm Max.

Steel/Aluminium Embossed



133mm Min

White Figures

Black Background

	Motor Vehicles other than Motor Bikes	Motor Bikes
Height of figure	77-80mm	50mm
Width of every line in each figure	12mm	6mm

The dimensions of a motor bike plate must be 215 ± 1.0mm in length and 95 ± 1.0mm in height.

Class 2—Alpha Numeric Plates (Non-Slogan)

An alpha-numeric plate (non-slogan) must bear a number consisting of a combination of letters and figures and may be issued under an agreement between the Registrar and the applicant. The plate must conform to the following additional specifications and design:

2.1.1 Special Purpose Vehicle and Motor Bike (“S” 6 character set)

215 ± 1.0mm

Steel/Aluminium Embossed



100 ± 1.0mm

Black Letters and Figures

White Retroreflective Background

Height of figure or letter	50mm
Width of every line in each figure or letter	6-8mm

2.1.2 Special Purpose Vehicle and Motor Bike

215 ± 1.0mm

Steel/Aluminium Embossed



100 ± 1.0mm

Black Letters and Figures

White Retroreflective Background

Height of figure or letter	50mm
Width of every line in each figure or letter	6-8mm

2.2 Other Vehicles

371 ± 1.0mm

Steel/Aluminium Embossed



133 ± 1.0mm

Black Letters and Figures

White Retroreflective Background

Height of figure or letter	70-77mm
Width of every line in each figure or letter	12mm

2.3 Corporate Number Plates

Alpha numeric plates (non-slogan) in the corporate plate format (class 2.2 only) may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant.

The plate must conform to the following specifications and design:

The height of the plate 133 + 1.0mm and width 371 + 1.0mm.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 3—Slogan Number Plates

A slogan number plate must bear a number consisting of a combination of letters and figures and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

3.1 South Australia Plate

371 ± 1.0mm

Steel/Aluminium Embossed



133 ± 1.0mm

Black Letters and Figures


White Retroreflective Background

Slogan (Black): SOUTH AUSTRALIA

	Motor Vehicles other than Motor Bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.1.1 South Australia Trailer Plate

Steel/Aluminium Embossed 371 ± 1.0mm 133 ± 1.0mm


Black Letters and Figures  White Retroreflective Background

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.1.2 South Australia Non-Standard Trailer Plate

Steel/Aluminium Embossed 252 ± 1.0mm 98 ± 1.0mm

Black Letters and Figures  White Retroreflective Background

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

3.1.3 Aerial Plate

Steel/Aluminium Embossed 252 ± 1.0mm 98 ± 1.0mm

Black Letters and Figure  White Background Retroreflective

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

The dimensions of an aerial mount plate must be 252 ± 1.0mm in length and 98 ± 1.0mm in width and are only available to vehicles granted registration under the Act.

3.2 Corporate Number Plates

Slogan number plates in the corporate plate format may contain a background, logo and/or slogan or other promotion pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

The height of the plate 133mm + 1.0mm and length of the plate 371mm + 1.0mm.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.3 Festival State (Discontinued)

Steel/Aluminium Embossed 371 ± 1.0mm 133 ± 1.0mm

Black Letters and Figures  White Retroreflective Background

Slogan Blue

Blue Slogan: SA • The Festival State

Black State Badge (Piping Shrike)

	Motor Vehicles other than Motor Bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.3.1 Festival State Trailer Plate (Discontinued)

Steel/Aluminium Embossed	$371 \pm 1.0\text{mm}$	$133 \pm 1.0\text{mm}$
Black Letters and Figures Slogan Blue		White Retroreflective Background

Blue Slogan: SA • The Festival State
Black State Badge (Piping Shrike)

Motor Vehicles other than Motor Bikes	
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.3.2 Festival State Non-Standard Trailer Plate (Discontinued)

Steel/Aluminium Embossed	$252 \pm 1.0\text{mm}$	$98 \pm 1.0\text{mm}$
Black Letters and Figures Slogan Blue		White Retroreflective Background

Blue Slogan: SA • The Festival State
Black State Badge (Piping Shrike)

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm


3.4.1 Wine State (remake only)

Steel/Aluminium Embossed	$371 \pm 1.0\text{mm}$	$133 \pm 1.0\text{mm}$
Black Letters and Figures Slogan Purple		White Retroreflective Background

Slogan Purple: SOUTH AUSTRALIA—THE WINE STATE
Black State Badge (Piping Shrike)
Background: (Light Green, Green)—Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.2 Rose State (remake only)

Steel/Aluminium Embossed	$371 \pm 1.0\text{mm}$	$133 \pm 1.0\text{mm}$
Black Letters and Figures Slogan Pink		White Retroreflective Background

Slogan Pink: SOUTH AUSTRALIA—THE ROSE STATE
Black State Badge (Piping Shrike)
Background: (Light Green, Green, Pink, Red)—Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.3 Creative State (remake only)

371 ± 1.0mm

Steel/Aluminium Embossed
Black Letters and Figures
Slogan Black



133 ± 1.0mm
Yellow Background

Slogan Black: SOUTH AUSTRALIA—THE CREATIVE STATE
Black State Badge (Piping Shrike)
Background: (White, Grey, Red)—Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.4 Defence State (remake only)

371 ± 1.0mm

Steel/Aluminium Embossed
White Letters and Figures
Slogan White with Black Background



133 ± 1.0mm
Blue Background

Slogan White: SOUTH AUSTRALIA—THE DEFENCE STATE
Black State Badge (Piping Shrike)
Background: (Blue)—Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.5 Gateway to the Outback (remake only)

371 ± 1.0mm

Steel/Aluminium Embossed
Black Letters and Figures
Slogan White with Black Background



133 ± 1.0mm
White Retroreflective Background

Slogan White: SOUTH AUSTRALIA—GATEWAY TO THE OUTBACK
Black State Badge (Piping Shrike)
Background: (Yellow, Purple)—Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.6 The Electronics State (remake only)

371 ± 1.0mm

Steel/Aluminium Embossed
Black Letters and Figures
Slogan White with Green Background



133 ± 1.0mm
Green and White Retroreflective Background

Slogan White: SOUTH AUSTRALIA—THE ELECTRONICS STATE
Black State Badge (Piping Shrike)
Background: (White, Green)—Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.7 SA The Koala State

Steel/Aluminium Embossed

Black Letters and Figures

Slogan White with Teal
Background

133 ± 1.0mm

White and Teal
Retroreflective
Background

Slogan White: SA THE KOALA STATE

Background: (White, Teal)—Design approved by the Registrar

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 4—Personalised Number Plates

A personalised number plate must bear a number consisting of a combination of letters and figures nominated by an applicant and approved by the Registrar, and issued under an agreement between the Registrar and the applicant.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Option	Letters and Figures (colour)	Background (colour)	State Badge Piping Strike (colour)
1	Retroreflective White	Blue	White
2	Retroreflective White	Magenta	White
3	Retroreflective White	Red	White
4	Retroreflective White	Maroon	White
5	Retroreflective White	Green	White
6	Blue	Retroreflective White	Black
7	Magenta	Retroreflective White	Black
8	Red	Retroreflective White	Black
9	Maroon	Retroreflective White	Black
10	Green	Retroreflective White	Black
11	Green	Retroreflective Yellow	Black

The Piping Shrike emblem will appear after the last letter and before the first number.

4.1 Standard Personalised

Aluminium Embossed

371 ± 1.0mm



133 ± 1.0mm

	Motor Vehicles and Trailers other than Motor Bikes and Non-Standard Trailers	Motor Bikes
Height of figure or letter	70-72mm	50mm
Width of every line in each figure or letter	10-12mm	6mm

The dimensions of a motor bike plate must be 252mm ± 1.0mm in length and 98mm ± 1.0mm in height.

4.2 Slim Personalised

Aluminium Embossed

371 ± 1.0mm



100 ± 1.0mm

	Motor Vehicles other than Motor Bikes or Trailers	Motor Bikes
Height of figure or letter	54 or 60mm	50mm
Width of every line in each figure or letter	10mm	6mm

The dimensions of a motor bike plate must be 252mm ± 1.0mm in length and 98mm ± 1.0mm in height.

4.3 Non-Standard Personalised Trailer

Aluminium Embossed $252 \pm 1.0\text{mm}$ $98 \pm 1.0\text{mm}$



Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

4.4 Corporate Number Plates

Personalised number plates in the corporate plate format may contain a background, logo and/or slogan or other promotion pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

The height of the plate $133\text{mm} + 1.0\text{mm}$ and length of the plate $371\text{mm} + 1.0\text{mm}$.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 5—Jubilee Number Plates

A limited series of number plates numbered 001J—999J and 001S—999S preceded by the J150 logo and has the words “SOUTH AUSTRALIA” printed under the numbers, were issued to commemorate South Australia’s 150th Jubilee. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

Steel/Aluminium Embossed $371 \pm 1.0\text{mm}$ $133 \pm 1.0\text{mm}$

Black Letters and Figures



Silver-White Retroreflective Background

Slogan Black: SOUTH AUSTRALIA

Jubilee Slogan (to the left of the characters) according to the copyright specifications

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 6—Australian Grand Prix Number Plates

6.1 Special Series

A limited series of number plates numbered 1—199 preceded by the Grand Prix Logo, were issued to commemorate the Australian Formula 1 Grand Prix in Adelaide. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

Steel/Aluminium Embossed $371 \pm 1.0\text{mm}$ $133 \pm 1.0\text{mm}$

White Figures



Black Background

Slogan White: SOUTH AUSTRALIA

Logo Green, Yellow, Black and White (to the left of the digits) according to the copyright specifications

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

6.2 Standard Series

A limited series of number plates numbered 200—9999 preceded by the Grand Prix Logo, was issued to commemorate the Australian Formula 1 Grand Prix in Adelaide. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0mm

Steel/Aluminium Embossed



133 ± 1.0mm

Black Figures

White Retroreflective Background

Slogan Black: SOUTH AUSTRALIA

Logo Green, Yellow, Black and White (to the left of the digits) according to the copyright specifications

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 7—Towtruck Number Plates

A Towtruck number plate must be issued to a Towtruck approved by the Registrar for use in the operation of the accident towing roster scheme. The number is preceded by the letters "ATT" and the plate must conform to the following additional specifications and design:

371 ± 1.0mm

Steel/Aluminium Embossed



133 ± 1.0mm

Blue Letters and Figures

Yellow Retroreflective Background

Slogan Blue: SA ACCIDENT TOWTRUCK

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 8—Government Vehicle Number Plates

Vehicles owned by the State of South Australia may be issued with a number plate or plates consisting of a combination of letters and figures, which conform to the following additional specifications and design (unless otherwise authorised):

8.1.1 Government Vehicle or Trailer Number Plate ("S" 7 character set)

371 ± 1.0mm

Steel/Aluminium Embossed



133 ± 1.0mm

Blue Letters and Figures

White Retroreflective Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

8.1.2 Government Motor Bike ("S" 6 character set)

215 ± 1.0mm

Steel/Aluminium Embossed



95 ± 1.0mm

Blue Letters and Figures

White Retroreflective Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

8.1.3 Aerial Plate


Steel/Aluminium Embossed 252 ± 1.0mm 98 ± 1.0mm
 Blue Letters and Figure  White Retroreflective Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

The dimensions of an aerial mount plate must be 252 ± 1.0mm in length and 98 ± 1.0mm in width and are only available to vehicles granted registration under the Act.

8.2 Government Vehicle Number Plate (remake only)

Steel/Aluminium Embossed 371 ± 1.0mm 133 ± 1.0mm
 Blue Letters and Figures  White Retroreflective Background

Slogan Blue: SA GOVERNMENT

	Motor Vehicles other than Motor Bikes	Motor Bikes
Height of figure or letter	77mm	50mm
Width of every line in each figure or letter	12mm	6mm

The dimensions of a motor bike plate must be 215 ± 1.0mm in length and 95 ± 1.0mm in width.

Class 9—Name Plates

A name plate must bear a number which consists of all letters issued under an agreement between the Registrar and the applicant. The plate must be of the type known as retroreflective metal or acrylic.

The size of the plate and height and width of every figure appearing on the plate are at the discretion of the Registrar.

Class 10—Custom Number Plates

A custom number plate must bear a number nominated by an applicant and approved by the Registrar, which may consist of letters or a combination of letters and figures and issued under an agreement between the Registrar and the applicant authorising the applicant to display the number.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Option	Letters and Figures (colour)	Background (colour)
1	Retroreflective White	Blue
2	Retroreflective White	Magenta
3	Retroreflective White	Red
4	Retroreflective White	Maroon
5	Retroreflective White	Green
6	Blue	Retroreflective White
7	Magenta	Retroreflective White
8	Red	Retroreflective White
9	Maroon	Retroreflective White
10	Green	Retroreflective White
11	Black	Gold
12	Black	Silver
13	Gold	Black
14	Silver	Black
15	Black	Retroreflective White
16	Black	Retroreflective Lemon
17	Black	Retroreflective Yellow
18	Green	Retroreflective Lemon
19	Green	Retroreflective Yellow
20	Blue	Retroreflective Lemon
21	Blue	Retroreflective Yellow
22	Black	Burnt Orange
23	Burnt Orange	Black
24	Black	Electric Blue
25	Electric Blue	Black
26	Black	Electric Green
27	Electric Green	Black
28	Black	Electric Red
29	Electric Red	Black
30	Black	Hot Pink
31	Hot Pink	Black

10.1 Standard Custom

Aluminium Embossed	371 ± 1.0mm	133 ± 1.0mm
		

	Motor Vehicles and Trailers other than Motor Bikes	Motor Bikes
Height of figure or letter 1 to 6 letters	77mm	50mm
Width of every line in each figure or letter for 1 to 6 letters	12mm	6mm
Height of figure or letter 7 letters or 6 letters with space	70-72mm	50mm
Width of every line in each figure or letter for 7 letters or 6 letters with space	10-12mm	6mm

The dimensions of a motor bike plate must be:

1 to 6 digits 215mm ± 1.0mm in length and 95mm ± 1.0mm in width.

7 digits 252mm ± 1.0mm in length and 98mm ± 1.0mm in width.

10.2 Slim Custom

Aluminium Embossed

371 ± 1.0mm

100 ± 1.0mm



	Motor Vehicles other than Motor Bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

10.3 Square Two Line Custom

Aluminium Embossed

306 ± 1.0mm

150 ± 1.0mm



	Motor Vehicles other than Motor Bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

10.4 Square Custom

Aluminium Embossed

306 ± 1.0mm

150 ± 1.0mm



	Motor Vehicle other than Motor Bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

The dimensions of a motor bike plate must be:

1 to 6 digits 215mm ± 1.0mm in length and 95mm ± 1.0mm in width.

7 digits 252mm ± 1.0mm in length and 98mm ± 1.0mm in width.

10.5 Corporate Number Plates

Custom number plates in the corporate plate format may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

371mm + 1.0mm in length and 133mm + 1.0mm in height

Height of Figure or Letter	60mm
Width of every line in each figure or letter	10mm

Class 11—Taxi Plates

A taxi plate must be issued to taxis which are accredited by the *Passenger Transport Act 1994* as general purpose metropolitan taxis, standby taxis or “special vehicle licence” vehicles (wheelchair accessible vehicle). The number is preceded by the letters ‘TAXI’ and the plate must conform to the following additional specifications and design:

11.1 Standard Taxi Plate

Steel/Aluminium Embossed	$371 \pm 1.0\text{mm}$	133 \pm 1.0mm
Black Letters and Figures		White Retroreflective Background

Slogan: SA South Australia. A Brilliant Blend

(according to the copyright specifications of SA TOURISM COMMISSION)

	Motor Vehicle
Height of figure	70mm
Height of letter	51mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

11.2 Standby/Access Taxi Plate

Standby taxi plates and “special vehicle licence” vehicle (wheelchair accessible vehicle) plates (accredited by the *Passenger Transport Act 1994*) may have letters “TAXI” displayed with white letters on a black background.

Steel/Aluminium Embossed	$371 \pm 1.0\text{mm}$	133 \pm 1.0mm
Black Figures		White Retroreflective Background
Retroreflective White Letters on a Black		60 x 120mm Background

Slogan: SA South Australia. A Brilliant Blend

(according to the copyright specifications of SA TOURISM COMMISSION)

	Motor Vehicle
Height of figure	70mm
Height of letter	51mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

11.3 Taxi Licence Plate

Aluminium Embossed	$371 \pm 1.0\text{mm}$	133 \pm 1.0mm
White Retroreflective Letters and Figures		Blue Background

The piping shrike emblem will appear after the last letter and before the first number

Slogan: South Australia

	Motor Vehicle
Height of figure	70mm
Height of letter	51mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

Class 12—Chauffeured Vehicle Plates

A Chauffeured Vehicle number plate must bear a number consisting of a combination of figures and letters and be issued to vehicles and bikes which are accredited to operate for hire under the *Passenger Transport Act 1994*. These plates must be of the type known as metal embossed and must conform to the following additional specifications and design:

12.1 Standard

Steel/Aluminium Embossed $371 \pm 1.0\text{mm}$ $133 \pm 1.0\text{mm}$

Blue Letters and Figures



White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Vehicles other than Motor Bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

12.2 Square

Steel/Aluminium Embossed $306 \pm 1.0\text{mm}$ $150 \pm 1.0\text{mm}$

Blue Letters and Figures



White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Vehicles other than Motor Bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

12.3 Motor Bike

Steel/Aluminium Embossed $252 \pm 1.0\text{mm}$ $98 \pm 1.0\text{mm}$

Blue Letters and Figures



White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Bikes
Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 13—Consular Corps Plates

Consular Corps number plates may only be issued to an accredited Diplomatic Officer or accredited Consular Officer de carriere, who is a national of a country which he or she represents and who resides in this State, or to an Honorary Consul accredited by the Department of Foreign Affairs and Trade, who also resides in this State. The plates must be of the type known as metal embossed and must conform to the following additional specifications and design:

Steel/Aluminium Embossed $371 \pm 1.0\text{mm}$ $133 \pm 1.0\text{mm}$

White Letters and Figures



Black Background

Slogan White: SA CONSULAR CORPS

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 15—Premium Number Plates

A premium plate must bear a number consisting of two letters, three figures followed by a further letter and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

15.1 Front

	$371 \pm 1.0\text{mm}$	
Aluminium Embossed		$83 \pm 1.0\text{mm}$
Black Letters and Figures		
OR		
Retroreflective White Letters and Figures		White Retroreflective Background
OR		OR
Opaque White Letters and Figures (discontinued)		Black Background


	Motor Vehicles other than Motor Bikes
Height of figure or letter	53mm—54mm
Width of every line in each figure or letter	8mm—10mm

15.1a Rear

	$371 \pm 1.0\text{mm}$	
Aluminium Embossed		$106 \pm 1.0\text{mm}$
Black Letters and Figures		
OR		
Retroreflective White Letters and Figures		White Retroreflective Background
OR		OR
Opaque White Letters and Figures (discontinued)		Black Background

	Motor Vehicles other than Motor Bikes
Height of figure or letter	70mm—75mm
Width of every line in each figure or letter	10mm—12mm

15.2 Front

	$371 \pm 1.0\text{mm}$	
Aluminium Embossed		$100 \pm 1.0\text{mm}$
Black Letters and Figures		
		White Retroreflective Background

	Motor Vehicles other than Motor Bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

15.2a Rear

	$306 \pm 1.0\text{mm}$	
Aluminium Embossed		$150 \pm 1.0\text{mm}$
Black Letters and Figures		
		White Retroreflective Background

	Motor Vehicles other than Motor Bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

15.3 Front and Rear Square

306 ± 1.0mm

Aluminium Embossed 150 ± 1.0mm

Black Letters and Figures



White Retroreflective Background

	Motor Vehicles other than Motor Bikes
Height of figure or letter	54-62mm
Width of every line in each figure or letter	10mm

15.4 Corporate Number Plates

Premium number plates in the corporate plate format may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

371mm + 1.0mm in length and 133mm + 1.0mm in height

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 16—Bike Rack Number Plates


A Bike Rack plate must bear the number allotted to the vehicle to which the bike rack is attached and must conform to the following additional specifications and design:

16.1 SA Better by Bike (discontinued)

252 ± 1.0mm

Steel/Aluminium Embossed 98 ± 1.0mm

Black Letters and Figures



White Retroreflective Background

Slogan: SA BETTER BY BIKE


Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

16.2 SA Cycle instead

252 ± 1.0mm

Steel/Aluminium Embossed 98 ± 1.0mm

Black Letters and Figures



White Retroreflective Background

Slogan: SA Cycle instead and logo, as endorsed by the Registrar

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 17—Centenary of Federation Number Plates**17.1 Centenary Limited Series Number Plates**

A limited series of number plates numbered 1901 CF-2001 CF, with the Centenary of Federation logo between the letters and figures, were issued to commemorate the Centenary of Federation. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0mm

Steel/Aluminium Embossed



133 ± 1.0mm

White Letters and Figures

Black Background

Grey watermark of Rotunda in backgroundSlogan White: *SA—Centenary of Federation*

Centenary of Federation Logo (between the numbers and the letters) according to the registered trademark owned by the Commonwealth.

	Motor Vehicles
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

17.2 Centenary Vogue Series Number Plates

A limited series of number plates numbered 000C-999C and 000F-999F with the Centenary of Federation logo between the letters and figures, were issued to commemorate the Centenary of Federation. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0mm

Steel/Aluminium Embossed



133 ± 1.0mm

White Letters and Figures

Yellow, Red, Green, Blue
Retroreflective BackgroundSlogan White: *SA—Centenary of Federation*

Centenary of Federation Logo (between the numbers and the letters) according to the registered trademark owned by the Commonwealth.

	Motor Vehicles
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 18—Country Taxi Plates

A Country Taxi Plate must be issued to taxis which have country taxi accreditation under the *Passenger Transport Act 1994*. The number is preceded by the letters 'TAXI' and the plate must conform to the following additional specifications and design:

371 ± 1.0mm

Steel/Aluminium Embossed



133 ± 1.0mm

Black Letters and Figures

Lemon Retroreflective
Background

Slogan Red: SOUTH AUSTRALIA (above plate number)

COUNTRY TAXI (below plate number)

Black State Badge (Piping Shrike) (between the word TAXI and figures).

	Motor Vehicles
Height of figure	70mm
Height of letter	50mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

Class 19—SA—Heavy Vehicle

A SA Heavy Vehicle Plate may be issued to a vehicle with a mass or GVM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

19.1 Standard

$371 \pm 1.0\text{mm}$

Aluminium Embossed		$133 \pm 1.0\text{mm}$
Black Letters and Figures		White Retroreflective Background

Slogan Black: SA—HEAVY VEHICLE

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

19.2 Trailer

A SA Heavy Trailer Plate may be issued to a vehicle with a mass or GTM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

$371 \pm 1.0\text{mm}$

Aluminium Embossed		$133 \pm 1.0\text{mm}$
Black Letters and Figures		White Retroreflective Background

Slogan Black: SA—HEAVY VEHICLE


	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 20—Euro Number Plates

A Euro plate must bear a number consisting of the letter S followed by two letters, two figures followed by a further letter, with the State Coat of Arms of South Australia appearing between the letter S and the first two letters, and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

20.1 White Background Euro Plate

$522 \pm 1.0\text{mm}$

Steel/Aluminium Embossed		$113.6 \pm 1.0\text{mm}$
Black Letters and Figures		White Retroreflective Background
Logo—Sturt Desert Pea		

Blue Sash on the left of the plate with the characters “SA” screen printed in white with the S printed directly above the A
The State Coat of Arms of South Australia (between the “S” and the first two letters) as endorsed by the Department of the Premier and Cabinet’s Protocol Branch.

	Motor Vehicles
Height of figure or letter	75.5mm
Width of every line in each figure or letter	10mm

20.2 Black Background Euro Plate

Steel/Aluminium
Embossed
White Retroreflective
Letters and Figures
Logo—Sturt Desert Pea



113.6 ± 1.0mm
Black
Background

On the left of the plate the characters “SA” screen printed in white with the S printed directly above the A. The State Coat of Arms of South Australia (white) (between the “S” and the first two letters) as endorsed by the Department of the Premier and Cabinet Protocol Branch.

	Motor Vehicles
Height of figure or letter	75.5mm
Width of every line in each figure or letter	12mm

Class 21—National Heavy Vehicle Plate

A National Heavy Vehicle Plate may be issued to a vehicle with a mass or GVM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

21.1 Standard

Aluminium Embossed
Black Letters and Figures



134 ± 1.0mm
White Retroreflective Background
Containing a Directional Security Mark
(Kangaroo in circle)

Sash Colour Blue with White slogan and logo—National Heavy Vehicle

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

21.2 Trailer

A Heavy Trailer Vehicle Plate may be issued to a vehicle with a mass or GTM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Aluminium Embossed
Black Letters and Figures



134 ± 1.0mm
White Retroreflective Background
Containing a Directional Security Mark
(Kangaroo in circle)

Sash Colour Blue with White slogan and logo—National Heavy Vehicle

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

21.3 Bike Rack

A bike rack plate issued for a heavy vehicle or heavy trailer with a mass or GVM/GTM over 4.5 tonnes must bear the number allotted to the vehicle to which the bike rack is attached and must conform to the following additional specifications and design:

Aluminium Embossed
Black Letters and Figures



100 ± 1.0mm
White Retroreflective Background

Sash Colour Blue with White slogan and logo—National Heavy Vehicle

	Motor Vehicles
Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 22—Japanese Number Plates

A Japanese number plate may be issued under an agreement between the Registrar and the applicant.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

22.1 Standard

A Standard Japanese number plate consists of two numbers, followed by three letters.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

330 ± 1.0mm

Aluminium Embossed



165 ± 1.0mm

Green Letters and Figures

White Retroreflective Background

Japanese text of ‘南オーストラリア’, meaning ‘South Australia’ located at the top of the number plate with ‘SA’ located in the bottom centre.

	Motor Vehicles
Height of figure or letter	58mm-60mm
Width of every line in each figure or letter	8mm—10mm

22.2 Special Edition

A Special Edition Japanese number plate consists of up to two numbers, followed by three letters ‘JDM’.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

330 ± 1.0mm

Aluminium Embossed



165 ± 1.0mm

Green Letters and Figures

White Retroreflective Background

Japanese text of ‘南オーストラリア’, meaning ‘South Australia’ located at the top of the number plate with ‘SA’ located in the bottom centre.

	Motor Vehicles
Height of figure or letter	58mm-60mm
Width of every line in each figure or letter	8mm-10mm

22.3 Custom Japanese

A Custom Japanese number plate must bear a number nominated by an applicant and approved by the Registrar, which may consist of letters or a combination of letters and figures and issued under an agreement between the Registrar and the applicant authorising the applicant to display the number.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

330 ± 1.0mm

Aluminium Embossed



165 ± 1.0mm

Japanese text of ‘南オーストラリア’, meaning ‘South Australia’ located at the top of the number plate with ‘車’, meaning ‘car’, located in the bottom centre of the plate. ‘SA’ written vertically in the centre left of the number plate.

	Motor Vehicles
Height of figure or letter	58mm-60mm
Width of every line in each figure or letter	8mm-10mm

Class 23—Motorsport Number Plates**23.1 Adelaide 500 Special Edition Series**

A special edition Adelaide 500 series of number plates displaying the Adelaide 500 25-year anniversary logo before the SA, preceded by the number sequence 1ADL—25ADL. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0mm

Aluminium Embossed



133 ± 1.0mm

White Letters and Figures.
Adelaide 500 25th
anniversary logo

Black Retroreflective Background

An Adelaide 500 25th anniversary logo in a green wreath is located to left of the number plate. 'SA' written vertically in the centre

	Motor Vehicles
Height of figure or letter	70mm
Width of every line in each figure or letter	10mm

23.2 Adelaide Grand Final Set Series

A set series Adelaide Grand Final number plate must bear a number consisting of a letter followed by three figures, followed by a further letter and issued under an agreement between the Registrar and the applicant. -The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

371 ± 1.0mm

Aluminium Embossed



133 ± 1.0mm

White Retroreflective Letters &
Figures.

Black Background

On the left of the plate the characters "SA" printed in white with the S printed directly above the A.

The banner depicting supercars racing on the Adelaide Street circuit is located on the bottom of the number plate.

	Motor Vehicles
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

General Specifications and Design

- The dimensions of the letters or words 'SA', 'SOUTH AUSTRALIA', 'THE FESTIVAL STATE' or any other slogan approved by the Registrar whether preceding the number or appearing in a central position above or below the registration number on which they are permitted, unless otherwise prescribed, must be as follows:

	Motor Bikes (except Class 12)	Motor Bikes Class 12	All Other Classes
Height of figure or letter	10mm	8mm	8-20mm
Width of every line in all parts thereof	2mm	1-2mm	1-3mm

(Except Corporate Number Plates which may vary at the discretion of the Registrar).

- The dimensions of the State Badge (Piping Shrike) appearing on the number plates on which they are permitted, must be as follows:

	Class 3	Class 4	Class 4 Motor Bike
Diameter	24-30mm	50mm	27mm

- The dimensions of the slogan "SA Cycle instead" appearing on the Bike Rack number plate must be as follows:

	Class 16
Height of figure or letter	13mm
Width of every line in all parts thereof	2mm

- A number plate will be taken to comply with the requirements of this notice relating to the size of the plate and the size of letters and figures on the plate if the size of the plate or of any figure or letter on the plate:
 - does not exceed the size prescribed by this notice by more than 1.0mm; or
 - is not more than 1.0mm less than the size prescribed by this notice.
- Notwithstanding the prescribed design and specifications for number plates, a number plate (other than a trailer or bike rack plate) may bear a plate and/or label that complies with the relevant Australian Standard, if the vehicle to which the number plate is affixed, is equipped to be Electric, Hydrogen or uses LP Gas/Natural Gas (as detailed in the *Road Traffic (Light Vehicle Standards) Rules 2018* or the Heavy Vehicle (Vehicle Standards) National Regulation (as applicable). However, the plate and label on the number plate must be placed in such a position so as not to obscure any letter, figure, logo or slogan appearing on the number plate.

Transitional Provision

A number plate that was manufactured before the date of this notice will be taken to comply with this notice if it complies with the notice under Section 47A of the Act published in the Gazette on 4 December 2025 (see Gazette No. 70, pages 4763-4783).

SCHEDULE 3

*Classes of Number Plates Which may be Displayed
Pursuant to an Agreement under Section 47A(4) of the Act*

Class 1—Numeric
Class 2—Alpha Numeric (Non-slogan)
Class 3—Slogan
Class 4—Personalised
Class 5—Jubilee
Class 6—Australian Grand Prix
Class 9—Name Plates
Class 10—Custom
Class 15—Premium
Class 17—Centenary of Federation
Class 20—Euro
Class 22—Japanese
Class 23—Motorsport
Dated: 22 January 2026

Approved by

E. KOKAR
Registrar of Motor Vehicles

All instruments appearing in this gazette are to be considered official, and obeyed as such
